gut fungi (*Smittium*, others) in Chironomidae, 490

halophilus chironomids, seasonal abundance of, 469
Halictidae, alkali bee, 61
head capsule width, in chironomid larvae, 456
Heng-Moss, T. M., 85
Herbaugh, L. L., 1
Hirabayashi, K., 439
Hudson, P. L., 456
Hunt, J. H., 183
hyporheic microhabitat of larval *Paraboreochlus*, 501

Ichneumonidae, 44
Idiomelissodes duplocincta, 74
igarape macrofauna affected by bauxite, 447
intraguild predation in lady beetles, 159
Iwakuma, T., 474

Jacobsen, R. E., 426
Janetzky, W. J., 216
Jeanne, R. L., 175
Jones, C. E., 87
Jyoti, J. L., 18

Kambhampati, S., 11
Kemp, W. P., 35
Kight, S. L., 185
Kofoid, K. D., 108
Kondo, S., 469
Kristoffersen, L., 296

lady beetles, intraguild predation, 159
Lammers-Campbell, R., 414
Landolt, P. J., 69
Langton, P. H., 208
larval cases of *Micropsectra*, 226
larval development of ichneumonid, 44
latex method of determining nest architecture in bees, 87
Leal, J. J. F., 447
Lichtwardt, R. W., 490
Lobochironomus with three chromosomes, 304
London, K. B., 175
lotic Chironomidae, species assemblages, 388

madicolous chironomid in New Zealand, 484
Ma, R. Z., 51
Maoridiamesa stouti, size distribution in habitat, 484
Martin, J., 247
Massaferro, J. I., 407
maternal care in Cydnidae, 185
mating of *Nomia melanderi*, 61
Mayer, D. F., 61
medfly, capitate bristles, 164
Mediterranean fruit fly, 164
Megachilidae, 23
Mendez, V., 164
Messias, M. C., 260
Micropsectra ***pharetrophora***, new species, 226; ecology, 232
Micropsectra ***silvesterae***, new species, 208
Miliczky, E. R., 61
Monopelopia ***mikeschwartzi***, new species, 218; ecology, 223

Nanocladius sp. larvae attached to nymphs of mayflies, 426
Nerius plurivitatus reproductive behavior, 89
nest architecture of bees, 87
nesting biology of *Habropoda depressa*, 116
Niptinus spider beetles, 137; key to species, 141; ***grandimaculosus***, new species, 144
Nomia melanderi biology, 61
Notice of Annual Meeting, 194
nuisance chironomids, 439

Okino, T., 439
Oliveira, S. J., 260
O'Neill, K. M., 35
ordination of chironomid communities, 414
Orius insidiosus feeding on corn, 11
Orthocladius (*Eudactylocladius*), revision, 272; Key to species, 276; ***subletteorum***, new species, 291
Orthocladius (*Orthocladius*) *vaillanti*, adult male and larva, 234
Osmia cornifrons, forage plants of, 23
Oukuriella ***sublettei***, new species, 260

Paleoeuglossa melissiflora, new genus and species, 29
Paraboreochlus stahli, larval habitat, 501; seasonal occurrence, 502
parasitoids, Encyrtidae in mealybugs, 85
parthenogenetic Chironomidae, 208
Patricloides montanus, development, 44
peatland, characteristic Chironomidae, 414
pectinases and loss of chlorophyll, 51
pheromones in alkali bees, 61
Philips, T. K., 137
Phoridae, *Megaselia*, 175
phylogeny of *Polypedilum*, 315
phytotelmata, 216
Poinar, G., 29
Polistes aurifer, 69
Polypedilum, keys to subgenera and species groups, 330; keys to *Cerobregma* spp., 344; ***bulbocaudatum***, new species, 354; ***exilicaudatum***, new species, 347; ***subulatum***, new species, 356; ***volselligum***, new species, 359; phylogeny of subgenera and species groups, 315; systematics, 317; zoogeography, 377
Pramuk, J. B., 44
predation, between Coccinellidae, 159

Quinn, M. A., 1

Reese, J. C., 51, 108
Reiss, F., 226
reproductive behavior of Neriidae, 89
Reuter, K. C., 1
Riordan, T. P., 85

Roland, T. J., 1
Roubik, D. W., 188

Sœther, O. A., 315
sampling, with seive, relation to head width, 456
Sanders, D. P., 183
Schmidt, W. G., 18
seasonal abundance, of halophilous chironomids in Japan, 469
Shah, C. V., 87
sieve efficiency, in relation to width of head capsule, 456
size distribution, in madicolous chironomid, 484
Slaymaker, A. K., 490
sleeping aggregations, of bee, 74
social wasps, distributions in Missouri, 183
solitary digger bee, 116
sorghum, loss of chlorophyll, 51; damage measured by loss of chlorophyll, 108; tolerant to greenbug, 108
spider beetles, 137
Spies, M., 199
Stahl, J. B., 383
Staphylinidae, *Tarphiota*, 191
Strayer, D., 501
Sublette, Mary and Jim, Introduction to Festschrift, 195
Sundal, A., 315
sunflower moth, development, 18
symbiosis, of chironomid larvae and mayfly hosts, 426

Takamura, K., 474
Tanytarsus ***heliomesonyctios***, new species, 212
Tarphiota, key to species, 191, 193
taxonomic composition, of lotic Chironomidae, 388
temperature, effect on maternal care in Cydnidae, 185
Tephritidae, medfly, 164
Thorp, R. W., 116
Trichomycetes, in larval Chironomidae, 490
Trichosmittia, new genus, 263, 265; ***hikosana***, new species, 268
tropical lotic Chironomidae, 388
turnover, long-term, in fossil Chironomidae, 407

Ueno, R., 474
urban anthophorid bee, 116

Vespidae, attractant, 69; *Polybia*, 175
voltinism, of halophilous chironomids, 469

Wachter, D. H., 35
Walgenbach, D. D., 1
wasps, distributions in Missouri, 183; golden paper wasp, 69; infestation by phorid flies, 175
Watson, C. N., 241
Wilde, G., 11
Wilson, R. L., 23
Wülker, W., 304

Xestochironomus ***aisenensis***, new species, 296; ***laselvensis***, new species, 301

Yamamoto, M., 263
Yeargan, K. V., 159

zoogeography, of *Polypedilum* (*Cerobregma*) spp., 377